


LED MODULE & HOUSING



Fit in over 100 sets of
housing

Easy to replace


Fit with GU10 or G5.3 bulbs

two power range of modules



LED Modules

CM10 10W LED MR16 Module




Diameter: Φ 50mm

Model: LN-CM10	Power: 10W	Luminous flux: LED 1100lm / Lamp 800lm
Size: D50mmxH75mm	Fit in: MR16 casing	Beam angle: 20°/40°
LED Chips: COB CREE/ OSRAM	Driver: C.C. OSRAM/LIFUD/KEGU/ANXIONG/LTECH	
Materials: Die casting aluminum body		



CM15 15W LED MR16 Module



Diameter: Φ 50mm

Model: LN-CM15	Power: 15W	Luminous flux: LED 1600lm / Lamp 1150lm
Size: D50mmxH84mm	Fit in: MR16 casing	Beam angle: 20°/40°
LED Chips: COB CREE/ OSRAM	Driver: C.C. OSRAM/LIFUD/KEGU/ANXIONG/LTECH	
Materials: Die casting aluminum body		



*Due to the differences in test instruments and electronic components, the specific data may vary. Please confirm the specific parameters of the lamp before ordering to avoid misunderstanding. The luminous flux data and electrical data on the website will have +/-10% tolerance and measured at Tc 25°C indoors.

*Different power, CRI, C.C.T, or other LED chip / driver brands, or dimming functions, or emergency kit with specific duration, please contact with us.

*Dimensions and specifications subject to alterations without notice.


Round Housing

LUMU Series




Model: LN-CMH-XR301	Adjustable angle: FIX
Size: D85xH58mm	Cutout: Φ 75mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shinning black




Model: LN-CMH-XR302	Adjustable angle: 30°
Size: D85xH64mm	Cutout: Φ 75mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shinning black




Model: LN-CMH-XR303	Adjustable angle: FIX
Size: D85xH58mm	Cutout: Φ 75mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shinning black




Model: LN-CMH-XR304	Adjustable angle: 30°
Size: D85xH64mm	Cutout: Φ 75mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shinning black



Model: LN-CMH-XR305	Adjustable angle: 30°
Size: D85xH64mm	Cutout: Φ 75mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shinning black



*Dimensions and specifications subject to alterations without notice.


Round Housing 2 Heads

LUMU Series




Model: LN-CMH-XR301-2	Adjustable angle: FIX
Size: L194xD104xH62mm	Cutout: L182xΦ94mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shinning black




Model: LN-CMH-XR302-2	Adjustable angle: 30°
Size: L193xD104xH62mm	Cutout: L182xΦ94mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shinning black




Model: LN-CMH-XR303-2	Adjustable angle: FIX
Size: L194xD104xH62mm	Cutout: L182xΦ94mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shinning black




Model: LN-CMH-XR304-2	Adjustable angle: 30°
Size: L194xD104xH72mm	Cutout: :182xΦ94mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shinning black



Model: LN-CMH-XR305-2	Adjustable angle: 30°
Size: L194xD104xH72mm	Cutout: L182xΦ94mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shinning black



*Dimensions and specifications subject to alterations without notice.


Round Trimless Housing

LUMU Series




Model: LN-CMH-XRT301	Adjustable angle: FIX
Size: L134xH58mm	Cutout: Φ 75mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shinning black




Model: LN-CMH-XRT302	Adjustable angle: 30°
Size: L134xH58mm	Cutout: Φ 75mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shinning black




Model: LN-CMH-XRT303	Adjustable angle: FIX
Size: L134xH58mm	Cutout: Φ 75mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shinning black




Model: LN-CMH-XRT304	Adjustable angle: 30°
Size: L134xH58mm	Cutout: Φ 75mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shinning black



Model: LN-CMH-XRT305	Adjustable angle: 30°
Size: L134xH58mm	Cutout: Φ 75mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shinning black



*Dimensions and specifications subject to alterations without notice.


Round Trimless Housing 2 Heads

LUMU Series




Model: LN-CMH-XRT301-2	Adjustable angle: FIX
Size: L182xW145xH72mm	Cutout: L182xΦ92mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shinning black




Model: LN-CMH-XRT302-2	Adjustable angle: 30°
Size: L182xW145xH72mm	Cutout: L182xΦ92mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shinning black




Model: LN-CMH-XRT303-2	Adjustable angle: FIX
Size: L182xW145xH62mm	Cutout: L182xΦ92mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shinning black




Model: LN-CMH-XRT304-2	Adjustable angle: 30°
Size: L182xW145xH72mm	Cutout: :L182xΦ92mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shinning black



Model: LN-CMH-XRT305-2	Adjustable angle: 30°
Size: L182xW145xH62mm	Cutout: L182xΦ92mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shinning black




Square Housing

LUMU Series




Model: LN-CMH-XS302	Adjustable angle: 30°
Size: L89xW89xH68mm	Cutout: L82xW82mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shinning black




Model: LN-CMH-XS303	Adjustable angle: 30°
Size: L89xW89xH72mm	Cutout: L82xW82mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shinning black




Model: LN-CMH-XS302-2	Adjustable angle: 30°
Size: L173xW89xH68mm	Cutout: L163xW80mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shinning black



Model: LN-CMH-XS303-2	Adjustable angle: 30°
Size: L173xW89xH72mm	Cutout: L163xW80mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shinning black



*Dimensions and specifications subject to alterations without notice.


Square Trimless Housing

LUMU Series




Model: LN-CMH-XST302	Adjustable angle: 30°
Size: L151xW89xH119mm	Cutout: L82xW79mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shining black




Model: LN-CMH-XST303	Adjustable angle: 30°
Size: L151xW89xH119mm	Cutout: L82xW79mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shining black




Model: LN-CMH-XST302-2	Adjustable angle: 30°
Size: L215xW77xH121mm	Cutout: L163xW80mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shining black



Model: LN-CMH-XST303-2	Adjustable angle: 30°
Size: L227xW82xH121mm	Cutout: L163xW82mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15

Cup color: sanded black, sanded white, sanded silver, sanded gold, mirror, shining black




*Dimensions and specifications subject to alterations without notice.

Hotel 2012 Housing



Normal Series





Model: LN-CMH-LX2010-O	Adjustable angle: 30°
Size: D88xH32mm	Cutout: Φ 75mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15
Housing Color: White/Black	




Model: LN-CMH-LX2010-U	Adjustable angle: 30°
Size: D88xH32mm	Cutout: Φ 75mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15
Housing Color: White/Black	



Model: LN-CMH-LX2010-F	Adjustable angle: 30°
Size: D88xH32mm	Cutout: Φ 75mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15
Housing Color: White/Black	






Model: LN-CMH-LX2010-H	Adjustable angle: 30°
Size: D88xH32mm	Cutout: Φ 75mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15
Housing Color: White/Black	



Hotel 2012F Housing

Model: LN-CMH-LX2012F	Adjustable angle: 30°	Size: L88xW88xH32mm	Cutout: Φ 75mm
IP grade: IP20	Materials: Aluminum	Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15




*Dimensions and specifications subject to alterations without notice.

Hotel 2013A Housing


Normal Series




Model: LN-CMH-LX2013A-W	Adjustable angle: 30°
Size: D87xH75mm	Cutout: Φ 75mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15
Color: Housing White; Ring White	





Model: LN-CMH-LX2013A-S	Adjustable angle: 30°
Size: D87xH75mm	Cutout: Φ 75mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15
Color: Housing White; Ring Silver	




Model: LN-CMH-LX2013A-M	Adjustable angle: 30°
Size: D87xH75mm	Cutout: Φ 75mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15
Color: Housing White; Ring Mirror	



Model: LN-CMH-LX2013A-B	Adjustable angle: 30°
Size: D87xH75mm	Cutout: Φ 75mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15
Color: Housing White; Ring Black	















Model: LN-CMH-LX2013A-G	Adjustable angle: 30°
Size: D87xH75mm	Cutout: Φ 75mm
IP grade: IP20	Materials: Aluminum
Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15
Color: Housing White; Ring Gold	



Hotel 2013A Housing




Normal Series

Model: LN-CMH-LX2013A	Adjustable angle: 30°	Size: D88xH45mm	Cutout: $\Phi 75$ mm
IP grade: IP20	Materials: Aluminum	Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15



Hotel G60 Housing



Model: LN-CMH-LXG60	Adjustable angle: 30°	Size: D80xH45mm	Cutout: $\Phi 65$ mm
IP grade: IP20	Materials: Aluminum	Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15



Hotel Trimless G75 Housing







Normal Series

Model: LN-CMH-LXG75	Adjustable angle: 30°	Size: D75xH57mm	Cutout: Φ 75mm
IP grade: IP20	Materials: Aluminum	Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15





Hotel 70X Housing

Model: LN-CMH-LX70X	Adjustable angle: 30°	Size: D80xH30mm	Cutout: Φ 75mm
IP grade: IP20	Materials: Aluminum	Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15



Hotel 2018 Housing


Model: LN-CMH-LX2018	Adjustable angle: Fix/ 30°	Size: D88xH38mm	Cutout: Φ 70mm
IP grade: IP20	Materials: Aluminum	Bulb install side: Back side	Fit it: MR16/GU10/CM10/CM15



Hotel 70Q Front Install Housing

Normal Series

Model: LN-CMH-LX70Q	Adjustable angle: 30°	Size: D88xH30mm	Cutout: Φ75mm
IP grade: IP20	Materials: Aluminum	Bulb install side: Front side	Fit it: MR16/GU10/CM10/CM15



Hotel 90Q Front Install Housing

Normal Series

Model: LN-CMH-LX90Q	Adjustable angle: 30°	Size: D88xH30mm	Cutout: Φ75mm
IP grade: IP20	Materials: Aluminum	Bulb install side: Front side	Fit it: MR16/GU10/CM10/CM15




Size: D88xH30mm
Cutout: Φ75mm

*Dimensions and specifications subject to alterations without notice.


Hotel 90Q Front Install Housing

Normal Series


Model: LN-CMH-LX90Q	Adjustable angle: 30°		
IP grade: IP20	Materials: Aluminum	Bulb install side: Front side	Fit it: MR16/GU10/CM10/CM15




Size: D105xH40mm
Cutout: Φ85mm



Size: D105xH41mm
Cutout: Φ85mm




Size: D105xH40mm
Cutout: Φ85mm




Size: D105xH40mm
Cutout: Φ85mm
Back Side Install




Size: L100xW100xH41mm
Cutout: L80xW80mm



Size: L93xW93xH41mm
Cutout: L85xW85mm
Back Side Install



Size: L100xW100xH41mm
Cutout: L80xW80mm




Size: L105xW105xH41mm
Cutout: L85xW85mm
Back Side Install


Grille 2 heads Front Install Housing

Normal Series


Model: LN-CMH-LX80Q-2	Adjustable angle: 30°		
IP grade: IP20	Materials: Aluminum	Bulb install side: Front side	Fit it: MR16/GU10/CM10/CM15




Size: L172xW90xH41mm
Cutout: L160xW80mm




Size: L172xW90xH41mm
Cutout: L160xW80mm




Size: L172xW90xH41mm
Cutout: L160xW80mm



Size: L172xW90xH41mm
Cutout: L160xW80mm
Back Side Install



Size: L205xW111xH42mm
Cutout: 192xW100mm



Size: L205xW111xH42mm
Cutout: L192xW100mm



Size: L185xW100xH30mm
Cutout: L165xW90mm



Size: L183xW103xH53mm
Cutout: L157xW80mm

*Dimensions and specifications subject to alterations without notice.

Surface Mounted Housing

Normal Series

Model: LN-CMH-LX100S


Adjustable angle: 30°

IP grade: IP20


Materials: Aluminum

Bulb install side: Front side


Fit it: MR16/GU10/CM10/CM15




Size: D80xH85mm




Size: L80xW80xH85mm



Size: L160xW80xH85mm



Size: D95xH125mm




Size: D80xH125mm



Size: L98xW98xH125mm



Size: L185xW98xH125mm




Size: L100xW100xH90mm



Size: L200xW100xH90mm



Size: L200xW200xH90mm



Size: L160xW80xH85mm



Size: L80xW80xH125mm



Size: L150xW80xH125mm



Size: L85xW285xH9125mm



Size: L150xW85xH125mm

*Dimensions and specifications subject to alterations without notice.



For more information, please check our website link:

<https://www.luna-lighting.cn>

For more information, or contact with us by:

Wechat/WhatsApp: +86-17328162503

WhatsApp:+86-18928117650

email: sales@luna-lighting.cn

website: www.luna-lighting.cn



Follow us on:

