


Surface Mounted LED Light 2021



LIKA Surface Spotlight

LN-CCX-LIKA



Ring colors



White



Black



Gold




Chrome



Silver

- Two powers: 5W / 10W
- 1/2/3/4 heads
- IP20 or IP43 optional
- UGR<19

LIKA 5W One Head Surface Mounted Spotlight



Model: LN-CCX-LIKA-5-1	Power: 5W	Luminous flux: LED 480lm / Lamp 350lm
Gear box size: L160xW38xH32mm	Lamp Size: D40xH93mm	Beam angle: 15°/24°/38° UGR<19
LED Chips: COB CREE/OSRAM	Driver: C.C. OSRAM/LIFUD/KEGU/ANXIONG/LTECH	
Cup: silver/black/gold/chrome/white	Materials: Die-casting Aluminum	Housing Color: White/black,



15°



24°




38°



COB



LIKA 5W Two Heads Surface Mounted Spotlight



Model: LN-CCX-LIKA-5-2	Power: 5W x2	Luminous flux: LED 480lm x2 / Lamp 380lm x2
Gear box size: L190xW38xH32mm	Lamp Size: D40 x H93mm	Beam angle: 15°/24°/38° UGR<19
LED Chips: COB CREE/OSRAM	Driver: C.C. OSRAM/LIFUD/KEGU/ANXIONG/LTECH	
Cup: silver/black/gold/chrome/white	Materials: Die-casting Aluminum	Housing Color: White/black,



15°



24°



38°



COB




*Due to the differences in test instruments and electronic components, the specific data may vary. Please confirm the specific parameters of the lamp before ordering to avoid misunderstanding. The luminous flux data and electrical data on the website will have +/-10% tolerance and measured at Tc 25°C indoors.

*Different power, CRI, C.C.T, or other LED chip / driver brands, or dimming functions, or emergency kit with specific duration, please contact with us.


*Dimensions and specifications subject to alterations without notice.

LIKA Surface Spotlight


LN-CCX-LIKA




LIKA 5W Three Heads Surface Mounted Spotlight




Model: LN-CCX-LIKA-5-3	Power: 5Wx3	Luminous flux: LED 480lmx3 / Lamp 350lmx3
Gear box size: L296xW38xH32mm	Lamp Size: D40xH93mm	Beam angle: 15°/24°/38° UGR<19
LED Chips: COB CREE/OSRAM	Driver: C.C. OSRAM/LIFUD/KEGU/ANXIONG/LTECH	
Cup: silver/black/gold/chrome/white	Materials: Die-casting Aluminum	Housing Color: White/black,



LIKA 5W Four Heads Surface Mounted Spotlight



Model: LN-CCX-LIKA-5-4	Power: 5W x4	Luminous flux: LED 480lmx4 / Lamp 350lmx4
Gear box size: L402xW38xH32mm	Lamp Size: D40xH93mm	Beam angle: 15°/24°/38° UGR<19
LED Chips: COB CREE/OSRAM	Driver: C.C. OSRAM/LIFUD/KEGU/ANXIONG/LTECH	
Cup: silver/black/gold/chrome/white	Materials: Die-casting Aluminum	Housing Color: White/black,





*Due to the differences in test instruments and electronic components, the specific data may vary. Please confirm the specific parameters of the lamp before ordering to avoid misunderstanding. The luminous flux data and electrical data on the website will have +/-10% tolerance and measured at Tc 25°C indoors.

*Different power, CRI, C.C.T, or other LED chip / driver brands, or dimming functions, or emergency kit with specific duration, please contact with us.


*Dimensions and specifications subject to alterations without notice.

LIKA Surface Spotlight


LN-CCX-LIKA




LIKA 10W One Head Surface Mounted Spotlight




Model: LN-CCX-LIKA-10-1	Power: 10W	Luminous flux: LED 1000lm / Lamp 750lm
Gear box size: L180xW53xH50mm	Lamp Size: D57xH131mm	Beam angle: 15°/24°/38° UGR<19
LED Chips: COB CREE/OSRAM	Driver: C.C. OSRAM/LIFUD/KEGU/ANXIONG/LTECH	
Cup: silver/black/gold/chrome/white	Materials: Die-casting Aluminum	Housing Color: White/black,




LIKA 10W Two Heads Surface Mounted Spotlight




Model: LN-CCX-LIKA-10-2	Power: 10Wx2	Luminous flux: LED 1000lmx2 / Lamp 750lmx2
Gear box size: L252xW53xH50mm	Lamp Size: D57xH131mm	Beam angle: 15°/24°/38° UGR<19
LED Chips: COB CREE/OSRAM	Driver: C.C. OSRAM/LIFUD/KEGU/ANXIONG/LTECH	
Cup: silver/black/gold/chrome/white	Materials: Die-casting Aluminum	Housing Color: White/black,



LIKA 10W Three Heads Surface Mounted Spotlight



Model: LN-CCX-LIKA-10-3	Power: 10Wx3	Luminous flux: LED 1000lmx3 / Lamp 750lmx3
Gear box size: L402xW53xH50mm	Lamp Size: D57xH131mm	Beam angle: 15°/24°/38° UGR<19
LED Chips: COB CREE/OSRAM	Driver: C.C. OSRAM/LIFUD/KEGU/ANXIONG/LTECH	
Cup: silver/black/gold/chrome/white	Materials: Die-casting Aluminum	Housing Color: White/black,



*Due to the differences in test instruments and electronic components, the specific data may vary. Please confirm the specific parameters of the lamp before ordering to avoid misunderstanding. The luminous flux data and electrical data on the website will have +/-10% tolerance and measured at Tc 25°C indoors.

*Different power, CRI, C.C.T, or other LED chip / driver brands, or dimming functions, or emergency kit with specific duration, please contact with us.

*Dimensions and specifications subject to alterations without notice.



For more information, please check our website link:

<https://www.luna-lighting.cn>

For more information, or contact with us by:

Wechat/WhatsApp: +86-17328162503

WhatsApp: +86-18928117650

email: sales@luna-lighting.cn

website: www.luna-lighting.cn



Follow us on:

